Message

From: Lin, James [lin.james@epa.gov]
Sent: 10/2/2020 11:07:11 AM

To: Blankinship, Amy [Blankinship.Amy@epa.gov]; Wente, Stephen [Wente.Stephen@epa.gov]

Subject: RE: Aldicarb GW results

Ex. 5 Deliberative Process (DP)

From: Blankinship, Amy <Blankinship.Amy@epa.gov> **Sent:** Wednesday, September 30, 2020 8:27 AM

To: Lin, James <lin.james@epa.gov>; Wente, Stephen <Wente.Stephen@epa.gov>

Subject: RE: Aldicarb GW results

Hi,

Ex. 5 Deliberative Process (DP)

Thanks, Amy

From: Lin, James < lin.james@epa.gov Sent: Tuesday, September 29, 2020 4:24 PM

To: Wente, Stephen < Wente. Stephen@epa.gov>; Blankinship, Amy < Blankinship. Amy@epa.gov>


Subject: RE: Aldicarb GW results

Please see results below. The word file is also attached.

Advise if need more model runs.

Thanks much.

Ex. 5 Deliberative Process (DP)



To: Lin, James ! Blankinship, Amy Blankinship, Amy @epa.gov>

Subject: RE: Aldicarb GW results

Ex. 5 Deliberative Process (DP)

From: Lin, James < lin.james@epa.gov Sent: Tuesday, September 29, 2020 2:54 PM

To: Wente, Stephen < Wente. Stephen@epa.gov >; Blankinship, Amy < Blankinship. Amy@epa.gov >

Subject: RE: Aldicarb GW results

The previous email with FL62 file. Thanks much.

From: Wente, Stephen < Wente. Stephen@epa.gov > Sent: Tuesday, September 29, 2020 2:53 PM

To: Blankinship, Amy < Blankinship. Amy@epa.gov>; Lin, James < lin.james@epa.gov>

Subject: RE: Aldicarb GW results

Jim:

Ex. 5 Deliberative Process (DP)

Steve

From: Blankinship, Amy < Blankinship. Amy@epa.gov>

Sent: Tuesday, September 29, 2020 2:43 PM

To: Lin, James < lin.james@epa.gov >; Wente, Stephen < Wente.Stephen@epa.gov >

Subject: RE: Aldicarb GW results

The proposed well set-back is 300ft, so we at least need to know the values at that distance. However, I would also think

Ex. 5 Deliberative Process (DP)

From: Lin, James < lin.james@epa.gov>
Sent: Tuesday, September 29, 2020 2:36 PM

To: Blankinship, Amy <Blankinship.Amy@epa.gov>; Wente, Stephen <Wente.Stephen@epa.gov>

Subject: Aldicarb GW results

The results are tabulated below:

Ex. 5 Deliberative Process (DP)

Thanks much.

From: Blankinship, Amy < Blankinship. Amy@epa.gov>

Sent: Tuesday, September 29, 2020 2:01 PM

To: Wente, Stephen < Wente. Stephen@epa.gov>; Lin, James < lin.james@epa.gov>

Subject: RE: aldicarb

Sounds good.

From: Wente, Stephen < Wente. Stephen@epa.gov> Sent: Tuesday, September 29, 2020 1:52 PM

To: Blankinship, Amy <Blankinship.Amy@epa.gov>; Lin, James <lin.james@epa.gov>

Subject: RE: aldicarb

Ex. 5 Deliberative Process (DP)

From: Blankinship, Amy <Blankinship.Amy@epa.gov>

Sent: Tuesday, September 29, 2020 12:27 PM

To: Lin, James <lin.james@epa.gov>; Wente, Stephen <Wente.Stephen@epa.gov>

Subject: aldicarb

Hi,

For easy reference, attached is the latest DWA numbers I have. Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Amy Blankinship Branch Chief, ERB2 USEPA - OCSPP/OPP/EFED 703-347-8062